

# Asbestos Blockplan Computer Building

**DO NOT PRINT THESE BLOCKPLANS AND ASSUME CHANGES NEVER OCCUR. UPDATES ARE CONSTANTLY BEING ADDED.**

**These blockplans DO NOT include the following asbestos containing materials:**

**Thermal insulations such as pipe, boiler, tank, or duct insulation; these are assumed to contain asbestos unless they are obviously fiberglass or foam rubber.**


**ALL resilient floorings are also assumed to contain asbestos (i.e. 12"x12" and 9"x9" Floor Tile, Linoleum, etc.).**

**ALL Soapstone Lab Bench Tops are also assumed to contain asbestos.**

**Many of these materials are above drop ceilings and are not readily visible. Specific locations of these materials can be obtained by calling Environmental Health and Safety at 5-6391 (3-1111 after 5 P.M.).**




# Asbestos Blockplan



Spray-on Asbestos  
Fireproofing / Overspray

Revised: 5/7/13



Call EHS ( 5-6391) BEFORE accessing  
above drop ceilings

Note: Asbestos Pipe Insulation, Floor  
Tile and other Information can be  
found on the EHS Website:  
[www.ehs.psu.edu](http://www.ehs.psu.edu)

## COMPUTER BUILDING

PSU BUILDING NAME

### SECOND FLOOR PLAN

BUILDING FLOOR LEVEL

UNIVERSITY PARK CAMPUS, UNIVERSITY PARK, PA

PSU CAMPUS LOCATION


## PENNSTATE



### FACILITIES RESOURCES AND PLANNING

THE PENNSYLVANIA STATE UNIVERSITY  
BENEDICT HOUSE  
UNIVERSITY PARK, PA 16802

OFFICE: 814.865.1595  
FAX: 814.865.1610  
[www.facilities.psu.edu](http://www.facilities.psu.edu)



10/28/97  
CREATION DATE

01/20/11  
REVISION DATE

Campus block plans are for referential use only. Drawings  
are not to be used for architectural or engineering purposes.

0009-000  
BUILDING NUMBER

3 OF 4  
SHEET NUMBER

2  
FLOOR LEVEL